

SECTION 1

AIR CONDITIONERS

(Product Group - 100)

Aircommand	004 - 005
Dometic (including heating)	006 - 007
Truma	006 - 007



PRIVACY ROOMS

(Product Group - 150)

Fiamma	008 - 009
Coast Awning Wall Kits	010 - 011
Orbit Annexes	012 - 014

AWNINGS & ACCESSORIES

(Product Group - 200)


Fiamma Awnings	015 - 018
Fiamma Adapter Brackets	019
Awning Accessories	018 - 021, 026 - 029
Fiamma Awning Spare Parts	026 - 029
Floor Matting	030 - 032
Sunscreens	033 - 035
Carefree Awnings and Accessories	036 - 046



BUILDING MATERIALS

(Product Group - 250)

Stabilus Gas Struts	047
Caravan Bed Frames	048
Canopy Lift Mechanisms	049
Pop Top & Camper Parts	050 - 051
Aluminium Extrusion & Mould Infills	051 - 052
Aluminium Cladding	053
Tape Foam	053
Lippert Slide Out Rooms	054 - 055





100-00004
DOMETIC ALUMINIUM H-FRAME


Distributes the weight of your Dometic B1900S, B2200, B3000 Plus or Truma Aventa air conditioner.

Specifications
Cut Out Size: 400L x 400W (mm)
H-Frame Size: 2400L x 750W (mm)



100-00006
ALUMINIUM H-FRAME

Specifically designed to use when installing an Aircommand Sparrow onto pop tops or caravans.



100-00221
AIRCOMMAND HERON Q SILVER SPLIT SYSTEM A/C



The compact Heron 3Q is a reverse cycle, split-system air conditioner with an easy to install condenser box, suitable for small to medium vehicles. Blower speed is easily controlled via the electronic LED control panel with remote control.

- > The air handler is installed in the overhead cupboard while the condenser unit is fitted from the outside of the van, providing fitting flexibility
- > Electronic LED control panel and fully functional remote control
- > Horizontal and vertical air adjustment
- > Reverse cycle cooling and heating
- > Must be connected and commissioned by a licensed air conditioning technician
- > Will operate on most premium brand inverter type generators (check with generator supplier for compatibility)
- > Highest capacity split system air conditioner designed for the larger pop top caravans

Specifications
Dimensions Product Depth: 250mm
Dimensions Product Height: 240mm
Dimensions Product Width: 380mm
Net Weight: 41kg
Input Voltage (AC): 240V
Input Frequency: 50Hz
Cooling Capacity (ISO 5151): 2300W
Heating Capacity (ISO 5151): 2300W

100-00082
UNIVERSAL AIR CONDITIONER GASKET KIT

Acts as a seal between your air conditioner and your roof to limit rain from entering where the air conditioner has been installed. The kit includes a self adhesive square gasket [356L x 356W (mm)] and x2 self adhesive levelling pads.



100-00252
AIRCOMMAND MK2
CORMORANT REVERSE
CYCLE ROOF TOP A/C

The Dometic Cormorant has a very high capacity for an RV air conditioner. The unit boasts fully functional remote controls and has a full reverse cycle function with electronic defrost to allow operation in low temperatures. Created for the Australian market, it is an affordable and efficient reverse cycle roof top air conditioner that is packed full of features. Perfect for those who are interested in an economical form of heating with low ambient operating features.

- > Very high capacity for a caravan air conditioner
- > Boasts fully functional remote controls
- > Reverse cycle is highly efficient and provides one of the most economical forms of heating
- > Flip-down electronic LED control panel
- > Will operate on most premium brand inverter type generators (check with generator supplier)
- > Fitted with built in compressor protection against intermittent power supply
- > Designed to dehumidify the air



Specifications

Dimensions Product Depth: 985mm
Dimensions Product Height: 360mm
Dimensions Product Width: 670mm
Net Weight: 40kg
Input Voltage (AC): 240V
Input Frequency: 50Hz
Cooling Capacity (ISO 5151): 2800W
Heating Capacity (ISO 5151): 2600W

100-00264
AIRCOMMAND MK4
SPARROW REVERSE
CYCLE A/C

The Dometic Aircommand Sparrow reverse cycle heat pump roof top air conditioner is a lightweight rooftop style unit. From camper trailers to pop top caravans, the Sparrow will deliver cooling comfort and wonderful warmth in the winter months (it even features Aircommand's defrost function allowing the system to operate in temperatures as low as -5 °C). This lightweight unit comes with modern necessities such as a flip down climate control panel, remote control with sleep timer and dehumidify functionality, plus a super low profile. This air conditioner has unmatched efficiency and provides one of the most economical forms of heating. The Sparrow provides both heating and cooling as well as filtered and dehumidified air. Its lightweight design makes it suitable for a range of applications that the bigger units are unable to achieve.

- > Lightweight - suitable for smaller caravans and pop tops
- > Flip-down electronic LED control panel and remote control
- > Low profile rooftop unit with modern look
- > Three blower speeds
- > Automatic de-ice setting for low ambient heating operation at down to -5 °C
- > Will operate on most premium brand inverter type generators (check with generator supplier for compatibility)



Specifications

Dimensions Product Depth: 968mm
Dimensions Product Height: 215mm
Dimensions Product Width: 560mm
Net Weight: 31kg
Input Voltage (AC): 240V
Cooling Capacity (ISO 5151): 1700W
Heating Capacity (ISO 5151): 1700W

100-00400 DOMETIC IBIS 4 LOW PROFILE ROOF TOP AIR CONDITIONER (INC. PLENUM 2 PART PICK)



The Dometic IBIS 4 sets a new standard for air conditioning in the mobile living market thanks to several refinements made from the acclaimed IBIS 3. The Dometic IBIS 4 features a powerful dual-cylinder horizontal compressor, a first for the RV industry, which creates a more balanced roof top unit and reduces the level of vibration.

- > Excellent cooling capacity of 2.6kW
- > Dimensions: 758 x 230 x 1112mm
- > Extremely quiet cooling, even at maximum speed
- > Adjustable vents for even air distribution
- > Lightweight rooftop unit at only 40kg
- > Four fan speeds, including a turbo speed
- > Suitable for both 400 x 400mm and 360 x 360mm roof openings

Specifications

Rooftop Dimensions (W x H x D): 758 x 230 x 1112mm
ADB Dimensions (W x H x D): 518 x 48 x 579mm
Installed Weight: 40kg
Compressor Type: New Generation Variable Speed
Cooling Capacity: 2625W
Current Draw (Cooling): 6.9A
Start-up Current: 7.5A Maximum
Maximum Current Draw: 8A Maximum
Fan Speeds 4: (including Turbo speed)
Roof Opening Fitment: 400 x 400mm or 360 x 360mm

100-02024 DOMETIC FJ3200 FRESHJET AC+ADB. FJ3200-ADB-KIT



One of the best motorhome and caravan air conditioners, the Dometic Freshjet 3200 has a powerful and dependable capacity for cooling and heating! The Freshjet 3200 can also be used as a duo unit for creating separate climate zones in larger vehicles. The air conditioner can even be adjusted to the roof thickness of the vehicle for perfect air conditioning.

- > Dimensions: 650 x 248 x 980 mm
- > Four air vents for even air distribution
- > Low-profile air distribution box of only 47 mm
- > High operating temperature range of 0°C to +52°C
- > Suitable for 400 x 400 mm roof openings

Specifications

Dimensions Product Depth: 980mm
Dimensions Product Height: 248mm
Dimensions Product Width: 650mm
Net Weight: 37kg
Input Voltage (AC): 220-240V
Cooling Capacity (ISO 5151): 2800W
Heating Capacity (ISO 5151): 3300W
Power Consumption - Cooling Mode (ISO 5151): 1300W
Power Consumption - Heat Pump (ISO 5151): Display 1360W

100-02100 TRUMA AVENTA COMFORT REVERSE CYCLE AIR CONDITIONER



The new Truma Aventa is quite powerful with a surprisingly slim and attractive plenum. It offers 1700W of heating power and a powerful 2400W of cooling capability. Its energy saving heat pump ensures a comfortable temperature inside your RV (provided the outside temperature is greater than 40°C), and it provides dehumidified, cleaned air thanks to its air filter system.

The Truma Aventa cools the inside of your RV quickly and quietly. Its flexible air distribution system allows you to direct the air where it is mostly needed, thus cooling efficiently. It even has a sleep mode function; if this is selected, the evaporator and condenser fans will run slower, resulting in even quieter operation for a restful sleep. The plenum has LED lighting which can be dimmed if ambience is required. It is suitable for RVs up to 7.5m in external length and comes with a remote control with a programmable timer function. Dometic offers a 2 year warranty on the Truma Aventa Comfort.



Specifications

Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 2.4kW
Nominal Heating Capacity: 1.7kW
Max Rated Current - Cooling: 4.2A
Max Rated Current - Heating: 3.7A
Max Air Delivery: 400m³/hour
Installed Weight: 33kg
Dimensions: 248H x 523W x 1008L (mm)
Air Dimensions: 46H x 670W x 523L (mm)
Operating Temperature Range: +4°C to +40°C



100-02306

**DOMETIC HARRIER
INVERTER ROOF TOP
AC + ADB HARRIER
INVERTER KIT**

The new Dometic Harrier Inverter raises the bar in efficient and powerful RV rooftop air conditioners. Featuring the first use of an Inverter compressor in an RV application, the Dometic Harrier Inverter can help eliminate start-up current issues when running from generators or when current supply is restricted.

The Dometic Harrier Inverter has a variable speed compressor that is extremely quiet, even when running at maximum speed and has a powerful 3.1kW cooling capacity (tested to ISO5151) making it the most powerful in its class.



Quality Features

- > Highly efficient inverter technology
- > Timer function and sleep mode
- > Oscillating outlet doors
- > Cold plasma air purification
- > Fitment to both 360 and 400 roof opening sizes possible
- > Low start-up current
- > Extremely quiet operation both inside and outside the RV

Specifications

- Best for Vehicle Length: Up to 7m
- Electrical Rating: 230V
- Nominal Compressor Capacity: 3.7kW
- Cooling Capacity: 3.1kW
- Heating Capacity: 2.8kW
- Cooling Current Draw: 6.5A
- Heating Current Draw: 5.2A
- Operating Temperature Range: -2°C - +52°C
- Airflow: 649m³/h
- External Dimensions: 750W x 280H x 1070D (mm)
- Internal Dimensions: 500W x 66H x 520D (mm)
- Roof Opening: 36W0 x 360/400H x 400D (mm)
- Roof Thickness: 30 - 60mm
- Weight: 45kg
- Number of Blower Speeds: 3
- Remote Control: Yes

TRUMA AIR HEATING SYSTEM

The new compact Truma heater for motorhomes, caravans and vans.

The Truma VarioHeat eco is an extremely compact and lightweight heater of the latest generation. It is very powerful and heats your vehicle to the required temperature very quickly. Thanks to the various functions, you can always set the heater to your precise requirements.

- > Powerful caravan heater with two outputs levels
- > Automatic regulation of the heating output depending on the set temperature
- > Lightweight, requires little space
- > Even heat distribution in the vehicle via air outlets
- > Exact setting of the requires room temperature
- > High air throughput for very quick heating

100-02130

**TRUMA VARIOHEAT GAS
AIR HEATING SYSTEM -
VARIOHEAT-KIT**

Includes a basis air kit and is a complete single outlet unit.



100-02136

**TRUMA VARIOHEAT ADDITIONAL SET
WARM AIR**

If a second outlet is required an additional ducting set can be purchased. A Truma VarioHeat with two outlets will consist of 100-02130 + 100-02136



100-02062

**DOMETIC DUCTING T/S SAPHIR AND
CLIMASTER – 15M**



100-02064

**DOMETIC DIESEL
HEATER DUCTING 60MM
T/S D2 – HEATER SOLD
PER METRE**



100-02150

**DOMETIC E6942 VER2
AIRTRONIC D2 DIESEL
HEATER W/H MOD**

With smooth controllability the AIRTRONIC D2 delivers 2.2 kW of hot blown air, automatically reducing the heat and the fan speed as the temperature rises for quiet operation and fuel economy.



Specifications

- Weight: 2.7kg
- Dimensions (W x H x D): 115 x 122 x 310mm
- Electrical Power Consumption: 8 - 34 watts
- Voltage: 12 or 24 volts

100-02058
DOMETIC BLACK FUEL
TANK FOR DIESEL
HEATER

A slimline storage canister that holds up to 10L of diesel to run your Dometic heater. It has three bolting points to avoid spillage.



FIAMMA PRIVACY ROOMS

In fifteen minutes you double the space available for your family. The widened windows, rounded forms and the insertion of grey tones make the product more elegant and modern. The quality materials and the extremely resistant structure guarantee the functionality and sturdiness of the product already appreciated by campers.

Windows

Front and side panels are composed of openable crystal windows, equipped with mosquito net and a velcro strip for safe closing of the window.

Structure

Fast Clip, for a safe, quick and easy installation. The system works with the principle of the two profiles hinged with the spring-system Quick Lock and fastened in the Sandwich way. Made of anodized aluminium. The anti-wind support Magic Privacy is optionally available for perfect stability.


Colours and Materials

UV resistant, waterproof and washable vinyl fabric, colour: white and grey.

Front Panel

Front panels are interchangeable. This means that door and window can be mounted on either the left hand side or on the right hand side.

Part Number	Description	Awning Length (A)	Height from Ground (B)	Weight
150-02302	300 Medium	300cm	225-250cm	24.5kg
150-02304	350 Medium	350cm	225-250cm	24.9kg
150-02306	400 Medium	400cm	225-250cm	25.4kg
150-02308	450 Medium	450cm	225-250cm	25.9kg
150-02310	300 Large	300cm	251-280cm	24.7kg
150-02312	350 Large	350cm	251-280cm	25.2kg
150-02314	400 Large	400cm	251-280cm	25.7kg
150-02316	450 Large	450cm	251-280cm	26.2kg
150-02318	500 Large	500cm	251-280cm	26.7kg
150-02320	550 Large	550cm	251-280cm	27.2kg



150-01200
FIAMMA VEHICLE
DRAUGHT SKIRT

Great for protection against wind or rain. The Draught Skirt comes with an installation kit which includes snap fasteners and even has skirting protection for your wheels. It can be shortened if required.



Specifications

Dimensions: 550L x 60H cm

150-02200N
FIAMMA SIDE W PRO

Fiamma's side panels can be installed on either side of a Fiamma awning. Suitable for use on F45 awnings from 3m long with 2.5m extension.

