

SECTION 8

TV EQUIPMENT

(Product Group - 900)

Winegard Antenna and Spares	284 - 288
Antennatek Spare Parts	288 - 289
Foldaway Antenna and Accessories	289
Happy Wanderer Antenna and Spares	289 - 290
Signal Boosters	290
Reversing Cameras	291 - 292
Sphere™ Entertainment	293 - 296
Sphere™ Satellite	297 - 299
Sphere Wifi Routers	299
Fusion Entertainment	300 - 302
Furion Audio/Visual Entertainment	303 - 306



WATER HEATERS

(Product Group - 950)

Suburban HWS Range	307 - 310
HWS Maintenance Accessories	311 - 313
Suburban Nautilus HWS and Accessories	314 - 317





WINEGARD SENSAR HV ANTENNA



Catch all of your favourite TV shows on your next RV adventure with the Winegard Sensar HV Antenna. This revolutionary bi-directional antenna receives both horizontal and vertical signals, allowing you to pick up a wider range of free-to-air channels on your RV's TV. Made in the USA, this robust antenna receives analogue, SD and HD signals. Never miss out on the footy grand final again - enquire about a Winegard Sensar HV today!

900-00050 (BULK PACK) WINEGARD SENSAR HV ANTENNA

A new and innovative antenna that receives both horizontal and vertical digital signals allowing for reception in more areas. It features two independently amplified antennas to deliver maximum digital VHF/ UHF programming. Made in the USA, this bidirectional antenna receives analogue as well as standard and HD digital signals and has been designed to fit roofs from 2.5cm - 12cm thick. The OEM pack contains x4 Sensar HV Antenna kits which include: antennas mounted on the reliable crank-up lift turret assembly, a white on/ off power supply switch, hardware, 6.1mt coax cable and a 139.7cm coax cable. RCM certified. The Winegard Sensar HV comes with a 1 year limited warranty, covered by Coast.



900-00060 (SINGLE BOX) WINEGARD SENSAR HV ANTENNA

Has all the same features as the OEM pack (i.e. comes with complete antenna/ lift assembly, white on/ off wall plate and power supply switch, coax cables and mounting hardware) except that it is sold singularly.



Specifications 4G Filter

Range: 144km

Operating Voltage: 12V DC

Operating Dimensions: 43.2W x 116H (cm)


Stowed Dimensions: 125.3L x 11.2H (cm)

Weight: 3.13kg

900-00070
WINEGARD SENSAR HV ANTENNA RETROFIT KIT (WITH HEAD AND MAST)

This allows you to replace the amplified head on an existing Winegard antenna with the Sensor HV bidirectional head.* It can also be used to replace the heads on Antennatek antennas as the old elevating gear can be used.

* Please check the roof clearance prior to purchasing the Sensor HV Retrofit Kit (refer to diagram, showing minimum roof top space required)



900-00360
WINEGARD WHITE 12V POWER SUPPLY (FOR TV ANTENNA)

A replacement part for a standard Winegard kit (i.e. a Winegard without a Sensor Pro).



900-00364
WINEGARD WHITE 2ND TV WALL PLATE ONLY

A convenient TV outlet with 75ohm coax cable input and output. It has a (+) 12V DC receptacle and easily surface mounts onto a wall.



WINEGARD RVH 3095 SENSAR RV TV ANTENNA W/POWER SUPPLY

900-00010
RV-3095 ANTENNA

The Sensor RV-3095 antenna has a built in amplifier and unique circuitry that gives you clear VHF/ UHF reception wherever you park your RV. Easy to install, and is bidirectional and corrosion resistant. Digital ready when combined with digital off-air tuner or HD digital television.



900-00014
(BULK PACK) WINEGARD ANTENNA

Winegard antenna same features as RV3095 supplied in bulk pack (Sold in packs of 4). Digital ready when combined with digital off-air tuner or HD digital television. Full range of spare parts available from any Coast branch.



900-00372
WINEGARD SENSAR PRO

Designed, built and hand tested in the USA, the Sensor Pro allows you to find the highest signal strength and thus watch TV. It has an adjustable amplifier which provides up to 10dB for increased performance if needed.



Specifications

Dimensions (cm): 11.4H x 7W x 1.9D

Weight (g): 81.6

Cables/Outputs included: Antenna IN, Cable IN, TV1 OUT and TV2 OUT

900-00400
WINEGARD DIRECTIONAL HANDLE EXTENSION

Used to extend the directional handle on leisure vehicles with a thicker roof. Roof thickness in excess of 4.75" (120.65mm) and up to 7" (177.8mm) would require an extension. (The handle and extension should be glued together after checking that you have the correct handle. The handle will not work properly if it is not glued together.)



900-00410
WINEGARD WINGMAN

This lightweight attachment (suitable for Winegard antennae only) attaches to the Sensor head and increases the digital UHF reception by up to 100%. Available in white, it acts as a digital booster. There are no wires to connect and no tools required for installation. The Wingman allows you to improve your Winegard Sensor's performance, enabling you to enjoy more free-to-air HD channels as it is optimised for digital and HD programming. The elements are powder coated to protect against the elements and rust. Note: The Wingman helps with UHF channels only and must be installed facing forward.



Specifications














Dimensions: 419.1W x 355.6D x 35.6H (mm)

Weight: 0.45kg


900-00422
RD 55" COAX ASSEMBLY
FOR THE H/V ANTENNA



WINEGARD SPARES

 900-00110	RV-2025 Antenna Head 75 inch
 900-00202 (27" Tube)	RD-1900 2 Elevator Tubes 4 Pins 4 Retaining Rings Nylon Spacers Self Sealing
 900-00150	RP-0154 Boot
 900-00190	RP-3008 Elevation Gear
 900-00220	RP-4008 Elevation Shaft Assembly w/ Worm Washer Flat Washer O-Ring Worm Gear Nut
 900-00230	PACKAGE Gear Housing 2 Pins Nylon Spacers Nuts Washer O-Ring Seal Retaining Ring
 900-00260	RP-0234 Level Vane 1/8 Spline Washer Bolt
 900-00300	RP-4158 Cooking Forks Cooking Plate 2 Spline Spring Drive
 900-00320	RP-5023 Worm
 900-00340	RP-2040 Nylon Bearing
 900-00350	RP-4159 Worm Drive Set Drive
 900-00380	RP-0100 Head Pinion
 900-00400	RP-1028 Directional Handle Extension

* Retainco/lighter with 10/10" 12 socket
 ** Use 302 Alcoa strength for set screw




SENSAR HV SPARE PARTS

Sensar HV Spare Parts

900-00150		900-00340	
RP-0154: Boot		RP-2040: Nylon Bearing (for Crank)	
Part Description	Quantity	Part Description	Quantity
Boot (light grey)	1	Nylon Bearing	1
900-00230		900-00190	
RP-2040: Gear Housing Assembly		RP-3008: Elevation Gear	
Part Description	Quantity	Part Description	Quantity
Gear Housing	1	Elevation Gear	1
Pin	2		
Nylon Nut	1		
Nylon Bearing (for gear housing)	1		
E-Clip	2		
O-Ring	1		
Nylon Bearing (for base plate)	1		
900-00260		900-00350	
RP-0234: Base Plate		RP-4159: Crank (White)	
Part Description	Quantity	Part Description	Quantity
Base Plate	1	Crank (white)	1
Mounting Screw	10		
Light Gray Boot	1		
900-00220		900-00300	
RP-6000: Worm Gear Assembly		RP-6300: Directional Handle & Coiling Plate (White)	
Part Description	Quantity	Part Description	Quantity
Worm Gear	1	Spring	1
Plug	1	Coil	1
Manual	1	Cooking Plate (white)	1
		Directional Handle (White)	1
		Screw	2
		Pin Shaft & Worm Gear Nut (Manual)	1
900-00070		900-00320	
CC-29HV: Retrofit Kit (Head Only)		RP-4022: Spring	
Part Description	Quantity	Part Description	Quantity
Antenna Decal	1	Spring	1
CC-29HV Manual	1		
Worm Assembly	1		
Worm Gear Assembly	1		

Updated: 29.01.2014



900-00392
WINEGARD 4 CABLE ENTRY
PLATE



900-00394
WINEGARD 2 CABLE ENRTY
PLATE

Weatherproof entry for multi-conductor cable, to be used with dual coax systems.



900-07000
WINEGARD DS5 CRANK UP SATELLITE

The only EMC tested and C-Tick approved Winegard in New Zealand! The DS-5 is easy to install and is operated via Winegard Digital Sensor. Suitable for use on caravans, pop tops and motorhomes this is an economical option to have satellite TV on the move.



SPARE PARTS AVAILABLE TO SUIT WINEGARD DS5 CRANK UP SATELLITE

900-07104
STRUT KIT ONLY



900-07106
DIGITAL WALL PLATE DISPLAY



900-07318
FREEVIEW RECORDER WITH CARD READER

The smallest, most powerful high definition free to air satellite receiver available on the market.



Can be used either horizontally or vertically. USB2 port to attach USB hard drives etc. for updating firmware, channels lists and also recording and pausing live TV.

Built in Infra-Red sensor, allows the box to be hidden in a cupboard and just point the remote at the remote sensor to change channels and volume.

Ideal for the motorhome/caravan etc.

- > No tuning required
- > Factory set for 10750 LNB
- > Full instruction manual
- > Fully upgradable via software
- > Dimensions: 162W X 115D X 30H (mm)
- > Weight: 200 gm.

900-07122
ROOF WEDGE WITH GASKET



900-07114
CRANK HANDLE KIT



TELESAT HD TVS WITH FREEVIEW

Designed specifically for New Zealand, these TVs feature a built-in DVD player, DVB-S2 and DVB-T tuners, a CI slot for a Skycard adaptor and numerous inputs including: USB, SD, AV, HDMI and headphone.



Specifications

Tuner Type: DVB-S/ DVB-S2 and DVB-T/ MPEG2/ MPEG4 (H.264)
Common Interface Support: x1 CI slot (certain cards only)
EPG: Full 70day EIT EPG for Freeview
Software Support Update: USB
Remote Control: Yes (included)
Power: 12V/240V (Adaptors included)
Warranty: 2 Years

900-07112
DIRECTIONAL HANDLE KIT



900-07126
EXTERIOR ELEVATION SENSOR FOR DS5



900-07400
19" HD TV/DVD TELESAT WITH FREEVIEW

900-07402
24" HD TV/DVD TELESAT WITH FREEVIEW

900-07110
46CM REFLECTOR
FOR RP-35RM



900-07118
WORM GEAR ONLY
FOR RP-4400



900-07130
WINEGARD ELEVATING
GEAR ONLY



900-07132
WINEGARD SAT DISH WIRING
HARNESS



900-07134
WINEGARD HARDWARE
PKG FOR ANTENNA
TURRET



900-07200
TRIAX 10750 SINGLE
LNB FOR WINEGARD
DS5



900-07202
LNB HOLDER ONLY
FOR WINEGARD DS5



ANTENNATEK SPARE PARTS

900-01008
ANTENNATEK SINGLE
PACK SERIES 500
AMPLIFIED TV
ANTENNA



900-01002
ANTENNATEK
AMPLIFIED HEAD
SERIES 550



900-01114
ANTENNATEK POWER
SUPPLY 12V W/3 TV
OUTLETS



900-01122
ANTENNATEK
ALUMINIUM GEAR
HOUSING FOR 350



900-01124
ANTENNATEK 7/8
HEX NYLON PLUG
FOR GEAR HOUSING



900-01132
ANTENNATEK UPPER
PIVOT BRACKET FOR
MODEL 300 & 350



900-01140
ANTENNATEK GEAR
REPLACEMENT KIT
C/W WORM GEAR &
ELEV SHAFT



900-01142
ANTENNATEK 350
ELEVATING SHAFT
ASSY



900-01150
ANTENNATEK
ELEVATING HANDLE
ASSY



900-01160
ANTENNATEK ROTATION
HANDLE



900-01162
ANTENNATEK SPRING
FOR ROTATION
HANDLE




900-01170
ANTENNATEK LARGE
O-RING 1"



900-01190
ANTENNATEK BASE
PLATE



900-01260
ANTENNATEK
DIRECTIONAL
HANDLE
KIT



FOLD AWAY ANTENNA

900-02350
STANDARD CARAVAN
TV ANTENNA

Digital ready when combined with a digital TV and set top box. Comes with 4m of cable.



900-02352
LARGE CARAVAN TV
ANTENNA

Digital ready when combined with a digital off-air tuner and HD TV. Comes with 6m of cable.



900-02374
FOLDAWAY DIRECT
CONNECTOR

Direct Connector - Enables the antenna to be plugged directly into your TV, thus ending corroded/dusty and worn out connections.

It is simple to use and stops signal-sapping joins, which can result in signal drop outs.



900-02376
MOUNTING KIT

Includes top clip, bottom bracket and required screws.



900-02377
MOUNTING KIT TOP CLIP ONLY

Includes x1 top clip and x2 screws



HAPPY WANDERER MASTS

900-02382
MULTIFIT BRACKET AND MAST

Suitable for use with the DT8 Dual Loop antenna range and Stand "T" antenna head. It can be fitted to your RV in a permanent or temporary manner. The permanent option fits all types of RVs including pop tops, caravans, motorhomes, slide-ons and campers. The temporary option fits pop top vans and campers with side travel clamps fitted (the clamps are used when the roof is raised). The mast is 1.4m in length (supplied as x2 70cm lengths that can be joined together via a coupling).



900-02384
EXTENSION MAST (0.7M) AND COUPLING

Used in conjunction with part #900-02382, the extension mast is available for campervans with high lifting rooves.



900-02388
HAPPY WANDERER THRU-VAN-WALL COAX CABLE CONNECTION

A waterproof, permanent solution to trailing TV antenna cables around your caravan. Made in Australia, it is ideal for use with digital set top boxes, Happy Wanderer Antennae and signal boosters as well as other branded antennae. It is adjustable to suit RV wall thicknesses from 22-35mm. Comes with rubber caps to keep out moisture.



900-02390
HAPPY WANDERER T-BAR ANTENNA

Simple to erect and stow away, the T-Bar Antenna tunes into both horizontal and vertical signals. It picks up UHF/VHF, FM Radio and digital signals and can be used in conjunction with the Signal Booster.



900-02395
HAPPY WANDERER DIGITAL SIGNAL FINDER

Designed for caravans, motorhomes and boats, the Worldwide Signal Finder is ideal for people on the move. It is simple to use and is compatible with digital or analogue signals on either VHF/ UHF frequencies. Plug it into your existing aerial system in your RV and within minutes, the handheld Signal Finder will show which direction is best to point your aerial towards. Designed and manufactured in the UK, it comes with a 3 year manufacturer's warranty.



900-02396
PART A MULTI FIT BRACKET ONLY FOR HAPPY WANDER



900-02398
PART B MULTI FIT BRACKET ONLY FOR HAPPY WANDER



900-02403
HAPPY WANDERER DT-8 MARK 3 ANTENNA

The happy viewing continues with the improved DT-8 Mark 3 antenna. It now features an integrated diplexer which means it can combine UHF and VHF signals. The Tapered Loop Technology provides the Mark 3 with a generous beam width of 70 degrees. It is now much easier to set up and the cables cannot be fitted the wrong way. Made from UPVC plastic, the Mark 3 receives low powered DTV stations, as well as HD digital horizontal and vertical signals. It comes with a digital Thru-Van-Wall kit, all cabling (which are RG6 compression with non-corrosive plugs) and a zippered carry bag. Happy Wanderer offer a 5 year warranty on the Mark 3. Note: Brackets and masts are sold separately. You will need to retune your RV TV to suit each locations' reception.



Specifications

- VHF MHz: channel 6-12
- UHF MHz: channel 28-69
- Max Gain: 10.4dBi (UHF), 3.1dBi (VHF)
- Dimensions (mm): 500H x 295W x 165D (with antenna rods not extended)

900-02408
SIGNAL BOOSTER AND POWER PACK (240V/ 12V COMBINATION)

It has a masthead type booster for use inside your RV. A 12V cable is included for use with a 12V power supply and the booster can be bypassed if it is not required. VHF max 15dB and UHF max 24dB gain.



900-02410
EASY-TUNE

Easy-Tune is a combined signal finder and amplifier booster. Plug your antenna into the Easy-Tune and use it to show which direction the strongest signal is coming from. Then using the handy LED indicators, the amplifier gain can be adjusted to fine tune your TV. The Easy-Tune can be permanently fixed inside your RV (perhaps inside a storage compartment). It is designed to show the presence and signal of digital or analogue TV signals and is also able to boost the received signal and distribute it to 2 outlets. Note: you should never connect 240V AC (mains voltage) directly to the Easy-Tune.



Specifications

- Operating Voltage: 10.5 - 28V DC, 250mA max
- Outlets: 2
- Variable Gain: 5 - 19dB
- Dimensions: 16.5W x 5.5D x 2.7H (cm)
- Weight: 125g

900-02602
TELESCOPIC CLAMP
 A frame clamp for telescopic pole



FURRION VISION S REAR-VISION CAMERA & DISPLAY KIT

New from Furrion, the Vision S wireless reversing camera is a high-performance vehicle observation system designed for the road as much as it was for the campsite! From reversing to changing lanes this wireless camera kit keeps an eye out for your RV! The rear-vision cameras give you a full range of view on a mountable touch screen monitor for smoother mobility while you're travelling or reversing your RV or caravan.



- > Observation systems are wireless with high-resolution touch screen monitors that can show up to four different camera images.
- > IP65 waterproof cameras
- > Rear assist reversing lines
- > 2.4GHz wireless communication digitally locks to the camera system for minimal interference.
- > Cameras offers 120-degree viewing angle, with infrared night vision.
- > The monitor can be mounted with the included windshield or universal surface mount.
- > 5" and 7" touch screen anti-glare monitors with rear assist marker lines.

900-02900
FURRION VISION S REAR-VISION CAMERA & 7" DISPLAY KIT

900-02902
FURRION VISION S REAR-VISION CAMERA & 5" DISPLAY KIT

SPHERE REVERSING CAMERA KITS

900-02676
MOTORHOME REVERSING CAMERA KIT (WITH WHITE CAMERA)

Featuring a 7", full colour monitor (which clips onto your existing rearview mirror) and a white eyeball camera. When not being used, the monitor can be used as a normal rearview mirror. The kit includes: x1 7" monitor, x1 white eyeball camera, x1 20mt extension cable. Comes with a 1 year manufacturer's warranty. Should a second camera be required, please also order 900-02770.



900-02672
CARAVAN REVERSING CAMERA KIT

Includes: x1 white eyeball camera, x1 17" colour monitor, x1 6mt cable, x1 20mt cable, x1 spring cable and x2 connector brackets. Comes with a 1 year manufacturer's warranty. Should a second camera be required, please also order 900-02771.



900-02678
MOTORHOME REVERSING CAMERA KIT (WITH BLACK CAMERA)

Featuring a 7", full colour monitor (which clips onto your existing rearview mirror) and a black eyeball camera. When not being used, the monitor can be used as a normal rearview mirror. The kit includes: x1 7" monitor, x1 black eyeball camera, x1 20mt extension cable. Comes with a 1 year manufacturer's warranty. Should a second camera be required, please also order 900-02773.



900-02674
CARAVAN REVERSING CAMERA KIT

Includes: x1 black eyeball camera, x1 17" colour monitor, x1 6mt cable, x1 20mt cable, x1 spring cable and x2 connector brackets. Comes with a 1 year manufacturer's warranty. Should a second camera be required, please also order 900-02773.



900-02771
DUAL CAMERA WIRING KIT

Includes: x1 white eyeball camera, x1 video split cable. Comes with a 1 year manufacturer's warranty.





900-02773
DUAL CAMERA WIRING KIT
Includes: x1 black eyeball camera, x1 video split cable. Comes with a 1 year manufacturer's warranty.



900-02774
SPHERE CURLY CORD KIT 3M FOR CARAVAN REVERSING KIT



900-02776
SPHERE MINI CAMERA T/S REVERSE MONITOR C/W 1 CAMERA 3M LOOM AND Y-SPLITTER LOOM



900-02785
SPHERE MONITOR LOOM T/S REVERSING CAMERA



900-02786
SPHERE 6M LOOM T/S REVERSING CAMERA



S TY DAVE

900-02810
7" MOTORHOME REVERSING CAMERA SYSTEM

Ideal for motorhomes, the package includes:
> A 7" LCD screen with sun shield to reduce glare
> An eyeball camera - fully waterproof and carries audio, video, and night vision infrared.
> A 15m 4-pin cable - waterproof, carries audio, video and power.
> A suction mount - enables you to mount your screen onto the dashboard, connects to the windscreen or any other area that allows the cup to work



(Monitor has the capacity to accept a second video input)

900-02820
5.8" CARAVAN REVERSING CAMERA SYSTEM

Ideal for caravans and horse floats, the package includes:
> A 5.8" LCD screen with sun shield to reduce glare
> An eyeball camera - fully waterproof and carries audio, video, and night vision infrared.
> A 15m 4-pin cable - waterproof, carries audio, video and power.
> A 7.5m 4-pin cable - waterproof, carries audio, video and power.
> A suction mount - enables you to mount your screen onto the dashboard, connects to the windscreen or any other area that allows the cup to work



(Monitor has the capacity to accept a second video input)

900-02822
CAMERA ONLY FOR REVERSING SYSTEM



900-02824
CAMERA FOR LICENSE PLATE MOUNT



900-02826
CCD BULLET EYE CAMERA



900-02830
CABLE 7.5M FOR REVERSING SYSTEM



900-02832
CABLE 10M FOR REVERSING SYSTEM

900-02833
SAFETY WOZA CABLE FOR CAMERA

A 5-pin heavy duty and flexible cable providing easy connection between vehicles and trailers. Carries audio, video, power and is waterproof.



900-03852
SPHERE S2 BLACK WALL MOUNT BRACKET

This newly designed mounting bracket makes it easy to setup multiple viewing areas in your RV. It allows for the easy removal of the V arm which can then be relocated and easily placed into any additional mounting brackets that have been installed.



SPHERE TV BRACKETS

900-03800
SPHERE S2 BLACK SINGLE ARM TV BRACKET

The head can be tilted in all directions and has a 360° rotation capability. Nolathane bushes allow for a smooth gliding action. The arm extends up to 282mm and features a lock to limit movement whilst travelling.



Specifications

Weight Capacity: 15kg
Weight: 1.65kg

900-03856
SPHERE S2 BLACK MOUNTING BRACKET AND VESA PLATE

Mount Your TV direct to the wall of your RV with this kit. Comes with a vesa plate, bracket and necessary screws.



900-05837
SPHERE™ VESA 100X100 M4 TO 200X100 M6 CONVERSION BRACKET

This conversion bracket/adaptor is mainly for use with the 31.5" Onyx TV (part number 900-05416) if it is to be used in conjunction with a current Sphere™ silver or black wall mount bracket. Supplied with screws.



Specifications

Dimensions: 242L x 21W (mm)

900-03810
SPHERE S2 BLACK DOUBLE ARM TV BRACKET

The head can be tilted in all directions and has a 360° rotation capability. Nolathane bushes allow for a smooth gliding action. The arm extends up to 422mm and features a lock to limit movement whilst travelling.



Specifications

Weight Capacity: 15kg
Weight: 1.92kg

900-05770
RUBBER AM/FM ANTENNA WITH 72" CABLE

Receives radio signals for better clarity whilst travelling. It has a 14" (35.6cm) durable rubber antenna and comes with an extension for thicker rooves. The base can swivel 180°.



Specifications

Cable included: 182.9cm

900-03820
SPHERE S2 BLACK TRIPLE ARM TV BRACKET

The head can be tilted in all directions and has a 360° rotation capability. Nolathane bushes allow for a smooth gliding action. The arm extends up to 562.2mm and features a lock to limit movement whilst travelling.



Specifications

Weight Capacity: 9.5kg
Weight: 2.17kg

900-03850
SPHERE S2 BLACK LOCKING ARM ONLY





SPHERE RG6 CABLES WITH COMPRESSION FITTINGS

Sphere RG6 Coax Cables are heavy gauge and feature excellent insulation and shielding optimized for high bandwidth, high frequency applications such as Satellite and Digital TV.



Quad Shield - Sphere RG6 cables are quad shielded meaning they have an additional layer of foil and braid shielding. This extra shielding prevents interference to your signal, preserving signal quality; especially over longer cable runs.

Compression Fittings - Sphere RG6 cables come supplied with F-Type compression fittings already fixed to the cable. This makes using and installing the cables much easier as no crimping or compression tools are required.

Specifications

- 1.02CCS 27% conductivity
- 4.6 FPE
- Foil+72*0.16AL+AL
- Foil+48*0.16AL
- 7.6PVC Jacket (WHITE)

900-05570
SPHERE 1.5M RG6 QUAD SHIELD COAX LEAD PAL - PAL

900-05572
SPHERE 1.5M RG6 QUAD SHIELD COAX LEAD PAL -F-TYPE COMPRESSION FITTING

900-05580
SPHERE 1.5M RG6 QUAD SHIELD COAX WITH COMPRESSION FITTINGS

900-05582
SPHERE 3.0M RG6 QUAD SHIELD COAX WITH COMPRESSION FITTINGS

900-05584
SPHERE 6.0M RG6 QUAD SHIELD COAX WITH COMPRESSION FITTINGS

900-05586
SPHERE 10M RG6 QUAD SHIELD COAX WITH COMPRESSION FITTINGS

SPHERE HDMI CABLE V2.0 HIGH SPEED WITH ETHERNET

Sphere HDMI V2.0 Cables are extremely high bandwidth capable of transmitting 18Gbps. This makes them perfect for high resolution applications such Ultra HD 4k TV.



- > Supports Ethernet, 3D, 4K video and Audio Return Channel (ARC)
- > Connects Blu-ray players, Fire TV, Apple TV, PS4, PS3, Xbox one, Xbox 360, computers and other HDMI-enabled devices to TVs, displays, A/V receivers and more
- > Cables allow you to share an Internet connection among multiple devices without the need for a separate Ethernet cable Meets HDMI 1.4
- > Meets the latest HDMI standards (4K Video at 60 Hz, 2160p, 48 bit/px color depth) that supports bandwidth up to 18Gbps and backwards compatible with earlier versions

Specifications

- Gauge:**
- 1.5m - 5m : 30AWG
- 10m: 28 +26 AWG
- 15m: 28+24 AWG
- Material:** CCS
- Pins:** 19+

900-05588
SPHERE 1.5M HDMI CABLE V2.0 HIGH SPEED WITH ETHERNET

900-05590
SPHERE 3.0M HDMI CABLE V2.0 HIGH SPEED WITH ETHERNET

900-05592
SPHERE 5.0M HDMI CABLE V2.0 HIGH SPEED WITH ETHERNET

900-05594
SPHERE 10M HDMI CABLE V2.0 HIGH SPEED WITH ETHERNET

900-05596
SPHERE 10M HDMI CABLE V2.0 HIGH SPEED WITH ETHERNET

SPHERE TV FITTINGS

900-05552
SPHERE TV FITTINGS
 - MECH FEMALE PAL
 TO FTYPE FEMALE



900-05554
SPHERE TV FITTINGS
 - FEMALE FTYPE TO
 FEMALE FTYPE



900-05556
SPHERE TV FITTINGS
 - FEMALE FTYPE TO
 MALE PAL



900-05558
SPHERE TV FITTINGS
 - MALE FTYPE TO
 FEMALE FTYPE 90°



900-05560
SPHERE TV FITTINGS
 - MALE FTYPE TO
 FEMALE PAL



SPHERE TV SPLITTERS

900-05562
SPHERE TV FITTINGS
 - 2 WAY SPLITTER (DTV)
 FREQUENCY RANGE:
 5-1000HZ



900-05564
SPHERE TV FITTINGS
 - 3 WAY SPLITTER (DTV)
 FREQUENCY RANGE:
 5-1000HZ



900-05566
SPHERE TV FITTINGS
 - 4 WAY SPLITTER (DTV)
 FREQUENCY RANGE:
 5-1000HZ



900-05568
SPHERE TV FITTINGS
 - ANT/SAT DIPLEXER



900-05569
SPHERE TV FITTINGS
 - MULTI SWITCH 3 IN
 4 OUT



SPHERE TV HDMI SPLITTER & SWITCH

900-05598
**SPHERE HDMI 4 WAY
 SPLITTER & USB DC LEAD**

Features

- > 1 input and 2/4 output (Splitter),
 3/5 input and 1 output (Switch)
- > 1080p HDTV Support
- > HDCP Compliant
- > Supports DTS,Dolby 7.1 Channel
- > Plug n Play



900-05600
**SPHERE HDMI 5 IN 1OUT
 SWITCH & USB DC LEAD**

Features

- > Multifunctional on switching:
 intelligent or mechanical
- > IR extender receiver and remote control
- > Supports 2.5Gbps per channel and 1080p resolutions.
- > Adaptive receiver equalization.





900-05906

LIPPERT 12VOLT TV SLIDE

The lightweight Lippert TV Lift system is easy-to-install and program, and with smart technology it can shutoff the motor in case of obstruction. The Lippert TV Lift is a great way to save on counter space and an impressive way to display your TV.



- > Easy to install with detailed guides and videos available
- > Patented worm rail design efficiently moves TV up and down
- > Easy one-button program; use the same button to program the two stopping points – programming takes less than one minute
- > Lifts TVs weighing up to 90kg
- > Requires less depth than other systems
- > Manual switch and mounting hardware included
- > 10-foot wiring harness allows for flexible installation
- > Perfect for the home as well
- > Can be used for other applications, such as cabinets or access doors

SPHERE BLUETOOTH OUTDOOR SPEAKER & LIGHT

Ideal for caravans and motorhomes, the Sphere external flush mount Bluetooth speaker & light combination is the perfect product for your RV's outdoor living space.

It features a powerful LED in a selectable choice of bright white or amber light as well as superior sound thanks to its 20 Watts of audio power. Control your soundtrack with Bluetooth and NFC functionality via your preferred compatible smart device.

The unit is weather-proof and UV stabilised to prevent premature discolouration or breakdown. It has a built-in ultrasonic mosquito repellent feature that will not interfere with hearing aid's or cardiac pacemakers and there is space allocated in the base of the unit to conceal an ONEX brand GPS tracker.

Features

- > Ready to mount to your caravan or outdoor area
- > Powerful LED white/amber light
- > Mosquito repelling frequency
- > Waterproof
- > NFC and Bluetooth compatible
- > GPS tracking ready
- > UV Resistant
- > 2 Year Warranty

900-08010

SPHERE BLUETOOTH OUTDOOR SPEAKER & LIGHT - WHITE



900-08012

SPHERE BLUETOOTH OUTDOOR SPEAKER & LIGHT - BLACK



SPHERE™ AUTOMATED SATELLITE SYSTEM



SPHERE™



Moving with the times, the Sphere Automated Satellite System (SASS) is innovative and technologically advanced. It has been designed to locate and lock onto satellites quickly (in particular, the C1/D3 satellites which cover the majority of Australia). It is compatible with Direct Broadcast Satellites (DBS) which broadcast audio, video and data from satellites about 35,406km away! To ensure the best signal is received from DBS, the SASS must have a clear view of the satellite i.e. make sure there are no trees or heavy cloud in the signal pathway. It also has a built in Digital Broadcast Receiver. SASS comprises of two main components: the dish (which houses the positioning mechanism and twin LNBS) and the indoor unit (IDU which is the systems user interface and allows the user to control/access SASS). SASS comes with a pre-drilled mounting base plate, making it easy to install and offers better weight distribution across the RV rooftop.

900-06002 AUTOMATED SATELLITE SYSTEM

Specifications

Power: 12V

Frequency: 10.7GHz (twin LNB)

Closed Height: 200mm

Size of Mounting Base Plate: 700L x 400W (mm)

Recommended Clearance (from centre of rotating head):

600mm - surrounding items such as air conditioners or hatches must not be taller than 260mm. If surrounding items are taller than 260mm, more clearance is needed.

450mm - surrounding items must not be taller than 190mm

200mm - surrounding items must not be taller than 70mm

Installed Weight: 19kg (includes cables and IDU), 16kg (dish and base plate only)

SASS Tips

1. Ensure the mounting base plate is installed on the flat surface of the RVs rooftop
2. When selecting a location to stay, make sure:
 - a. The dish has a clear line of sight to view as much of the sky as possible
 - b. The dish is at least 1.5m away from other antennas (HF, VHF and radar) that could interfere with the dish
 - c. The dishes exposure to high powered surveillance radar is minimised
3. The mounting base plate is firmly attached to the RV rooftop (Coast recommends using glue and screws)

Spare parts are available if required. Please contact your local Coast Team for more information.





900-06056
TWIN TUNER, HIGH DEFINITION, DIGITAL SATELLITE SET TOP BOX



The UEC DSD 4921 RV is a "Next Generation" VAST™ Certified, Twin Tuner, High Definition, Digital Satellite Set Top Box. This product is packed with new technology, features and accessories, making it ideal for both the traveller and standard in home installation.

Features

- > VAST™ Certified with over the air software upgrade for future features.
- > Smallest VAST™ Certified Set Top Box on the market, ideal for Caravan and RV enthusiasts.
- > Market leading performance with simple installation wizard, fast channel change.
- > Twin Tuner hardware supporting PVR ready functionality to ensure you never miss your favourite show whilst incorporating future proof Uni-cable LNB technology (single cable).
- > Market leading Technology and Software packed with features to make the setup, viewing and operation as easy and intuitive as possible.
- > Ruggedised design and construction to suit the harsh Australian environment with several built-in features to protect your device when connected to 240V mains, Generators or 12V DC battery installations.
- > Extensive and included accessories pack for the DIY home installer or the Caravan/RV enthusiast.
- > Low power consumption for 12V DC installation and Australian MEPS (Minimum Energy Performance Standard) compliant ensuring we are environmentally responsible.
- > Backed by 20 years of VAST™ experience and national after sales support for real peace of mind.

900-06204
06204 SATKING DVBS2-980CA VAST SET TOP BOX



The SatKing DVBS2-980CA is Australia's first VAST & Freeview Plus certified satellite TV receiver, making this unit the most advanced VAST receiver on the the market. Fully designed in Australia this top of the range receiver brings a new level of features to the VAST platform.

Specifications

- System**
- CPU: STIH239
 - Processor: 650MHz
 - Flash memory: 16MB (NOR) +128MB (NAND)
 - SDDR: 512MB DDR2 & DDR3
 - EEPROM: 32 kbyte
- Tuner**
- Standard: DVBS-EN300421, DVBS2-EN302307
 - Input Frequency: 950 ~ 2150 MHz
- Video Decoder**
- Decoding: MPEG-2 MP@ML, MP@HL HD, MPEG4 H.264/AVC HD
 - Video Format: Pal B/G
 - Aspect: 16:9, 4:3
 - Video resolution: 576i, 576p, 720p, 1080i, 1080p
 - Standard: ISO/IEC 13818-3
- Audio Decoder**
- Decoding: MPEG-1 Layer I&II, Dolby AC3, MPEG4-HE-AAC V2
- Connections**
- Satellite Input: 2x F Type Female 75
 - oop Output: 2x F Type Female 75
 - HDMI: 1x 1.4B
 - YPbPr: 3x RCA
 - AV Out: 3x RCA
 - Digital Audio: 1x Optical S/PDIF, 1x Coaxial
 - USB: 2x USB 2.0A Type 500mA Max
 - Ethernet: 1x RJ-45
 - IR Extension: 1x 3.5mm Jack
 - DC Input: 1x 2.1mm Jack
 - Data: 1x RS232
 - 9 Pin Din

900-06100
GOG ANTENNA/SATELLITE DIPLEXER



A diplexer is used to combine the satellite and antenna signals into one cable. Great for use when running a separate cable from a newly installed satellite is problematic.



Specifications

- Antenna: 5 - 860MHz
- Satellite: 950 - 2150MHz

900-06102
GOG MULTISWITCH 3 IN 4 OUT



Receives signals from up to 3 sources (satellite and antennas) which can then be split across up to 4 receivers.



Specifications

- Antenna: 40 - 806MHz
- Satellite: 950 - 2150MHz
- Insertion Loss: < 5dB

900-06299
SATKING APPROVED 1TB PORTABLE HDD



Store your recorded shows onto this portable hard drive. Suitable for use with the DVBS2-800CA.



Specifications

- Dimensions: 117L x 77W x 13H (mm)

SPHERE MOBILE WI-FI ROUTER



The Sphere 4G WiFi Router with GPS product gives you the flexibility of surfing the internet with ease on your travels. By inserting a SIM card, the router provides protected internet access for your family and friends.

With the in-built flash drive USB sharing feature, you will also be able to stream movies, videos, music and other file types over the router WiFi signal without consuming any data. The GPS feature allows you to obtain the location of the caravan at any time! Giving you the comfort and security to locate your caravan or motorhome when necessary.

Features

- > Surf the Internet with ease on your travels
- > Share secure WiFi access to your mobile data connection
- > Stream USB or hard drive content to your devices without consuming data.
- > GPS location tracking security.

Specifications

Power consumption = 150mA @12V
WiFi Range (open air) = +100 meters
4 * LAN Ports
1 * USB Port

900-09100 SPHERE MOBILE WI-FI ROUTER - INT ANTENNA



900-09102 SPHERE MOBILE WI-FI ROUTER WITH GPS - INT ANTENNA



SPHERE™ MOBILE WI-FI ROUTER



900-10013
FUSION MARINE
STEREO UNIT AM/FM/
DAB WITH IPHONE/
IPOD/ANDROID/
BLUETOOTH



Introducing the MS-RA70, Fusion's sleekest value-packed marine stereo, designed to deliver a quality on-water entertainment experience by incorporating some of the latest marine technologies. The MS-RA70 is engineered to seamlessly replace any standard DIN sized non-marinated stereo without the need to reconfigure dash space. Clever styling gives the installer the option of either mounting the stereo with a conventional flush finish or integrating it flat into a glass helm, ensuring a high-end finish to the installation.

Specifications

Peak Power: 200W Max. (@ 4 Ω)

Audio Zones: 2 on-board amplified zones

Nameable Zones: Up to 10 characters per zone

Line Out: 1 x L+R per zone (requires amplification)

Subwoofer Out: 1 x Sub Out Linked to Zone 1 (requires amplification)

Auxiliary Inputs: 1 x Stereo RCA Input (AUX)

Display: 128 x 64 monochrome optically bonded LCD

Fusion-Link Wireless: A Fusion-Link remote control app is available for compatible Apple and Android devices. Visit the Apple® App Store or Google Play™ to download the free app.

Bluetooth Wireless Technology: A2DP Bluetooth audio streaming with AVRCP support (album art is not supported)

USB: 1 x USB connector at the rear of the unit, supports 1 amp charging

Audio Format USB: MP3

Water Resistance: IPx7 water resistant from the front panel when correctly mounted.

900-10030
FUSION 4" MARINE 2
WAY LOUDSPEAKER
120W



FUSION's Full Range Marine Speakers are designed and engineered specifically for the marine environment. FUSION's marine speakers include design innovations and materials that not only produce great sound, but also ensure a sustained high performance level during prolonged exposure to the marine elements.

Incorporating the latest German 'CURV' cone technology and titanium tweeters for clear, powerful sound in the harsh marine environment. Engineered to minimise magnetic interference to navigational equipment.

4" 2-Way Speakers, 120 Watts Max Power

900-10032
FUSION 6" MARINE 2
WAY LOUDSPEAKER
200W (MS-FR6021)




Designed with the latest German 'Curv' Cone technology for clear sound built to withstand the elements (i.e. the cones are made of a woven plastic, this means they can't rot out after years of use). Featuring a titanium tweeter dome, it complies with international IP65 water resistant standards and incorporates a fully sealed crossover, magnet and tweeter housing with waterproof cone and surrounds. Comes with a 3 year manufacturer's warranty and two grill options (x2 ice white and x2 midnight black). Also complies with ASTM Standards for UV stability (ASTM-D4329) and Salt/Fog resistance (ASTM-B117).

900-10034
FUSION 7" MARINE 2
WAY LOUDSPEAKER
260W



Designed to withstand the harsh marine environment and comply with International ASTM Standards for UV Stability (ASTM-D4329) and Salt/Fog Resistance (ASTM-B117) Complies with IP65 Waterproof and Dust Standards and features a fully sealed cross-over, magnet and tweeter housing with waterproof cone and surrounds. Two different pairs of speaker grilles are provided in the box (Ice White and Midnight Black), catering to the varying aesthetics of most vessels. For unique styling of your FUSION marine speaker installation, add the impressive chrome MS-FR7021GS speaker grille (sold separately)

900-10038
FUSION 6" MARINE
SHALLOW MOUNT
SPEAKER 150W
(MS-EL602)



Featuring a quality polypropylene cone and PEI tweeter, these speakers have a water resistant construction and is compliant with ASTM-D4329 and ASTM-B117. Suitable for external use, they have a low profile design with a mounting depth of just 41mm.

900-10039
FUSION 6" MARINE
BLACK SHALLOW
MOUNT SPEAKER
150W



900-10040
FUSION 5.25"
INTERNAL
DUAL CONE
SPEAKERS 100W
(RV-FR52500EM)

Suitable for internal installations, these speakers have a super shallow mounting depth of only 31.5mm, making it perfect for installation behind RV panels.



900-10045
FUSION 6"
ENCOUNTER 2 WAY
SPEAKER (210W)

Stylish, black speakers with a shallow mounting depth of only 44mm. Sold in pairs, it comes with a convenient template to aid with installation and is backed by a 1yr manufacturer's warranty.



Specifications

Rated Power (Watts): 40
 Frequency Response: 35 Hz - 24 kHz
 Impedance: 4 Ohm
 Sensitivity: 87 dB
 Cone Material: Polypropylene
 Tweeter: PEI
 Mounting Diameter: 126mm

900-10050
FUSION 10" MARINE
SUBWOOFER 400W

Increase the bass level of your music, or improve all-round sound quality by incorporating a marine subwoofer into your audio system. Engineered for the marine environment and the perfect complement to your FUSION marine audio system. The MS-SW10 has a water resistant design and complies with ASTM standards for UV stability and Salt/Fog resistance, ensuring sustained high performance during prolonged exposure to the elements. With 400-Watts Peak output, the MS-SW10 will produce crisp and accurate bass.



900-10094
FUSION OPTIONAL REMOTE
CONTROL



900-10102
FUSION BLUETOOTH/
CD/SD CARD/USB/
AM/FM SOURCE UNIT

Stream your favourite songs from a compatible A2DP Bluetooth device, with support for auto connect feature for hassle free playback.

- > USB / SD / AUX SOURCE SUPPORT: Smart media integration and playback
- > INTERNAL AND EXTERNAL ZONE FADER: Adjust volume level easily between internal and external zones independently.
- > DUAL (FRONT / REAR) AUX: More versatility to connect your favourite AUX devices.



900-10096
FUSION MARINE
BLUETOOTH MODULE
WITH DATA DISPLAY
(MS-BT200)

Available as an add-on to the 700 Series, this Bluetooth Module allows you to stream audio from a compatible A2DP Bluetooth device (such as a smartphone) to your Fusion stereo. You can pause, play, and skip within your playlist via the head unit with the track information displayed on the LCD. Alternatively, you can navigate through the audio from your smartphone whilst you move around your RV.



900-10098
FUSION IPOD/
IPHONE/USB
DOCKING STATION
(MS-UNIDOCK)

The UniDock is compatible with the 700 Series and the MS-RA205. It comes with 3 adaptor cables which support the Apple 30-Pin, Apple Lightning and MTP devices with micro USB connectors (i.e. some android devices). It will house items which are equal to or lesser than 137 x 71 x 13 (mm). For a list of Apple and Android devices that will be supported, visit www.fusionelectronics.com





**900-10108
FUSION MS-NRX300
FULL FUNCTION
WIRED REMOTE
T/S 700 SERIES &
MS-RA205**

The MS-NRX300 NMEA 2000 Certified Wired Remote Control is an out of the box solution for adding localized control of a compatible FUSION marine entertainment system to any RV. The MS-NRX300 features a sleek new innovation: the glass helm flush mounting option. You can now choose either a flush mount for a stunning glass helm finish, or you can easily install with the conventional dash mount finish. Either way, the feature packed MS-NRX300 will give you everything you want from a wired remote and more.



Multi-Zone Technology

Install a remote in each independent audio zone, up to four zones depending on your FUSION entertainment system, to create localised volume control, as well as global source control. Now you have even more control in creating a customised audio entertainment experience around your vehicle.

IPx7 Waterproof

Perfect for installation inside the camper/RV, the MS-NRX300 is designed and engineered for the outdoor environment.

Optically Bonded 2.6" LCD Display

The MS-NRX300 sports a large, high contrast, daylight viewable display making it easy to navigate and stay in control of your audio entertainment experience.

FURRION AUDIOVISUAL ENTERTAINMENT



Furrion delivers innovative technology engineered, designed and tested to withstand unique performance requirements of mobile applications, including extreme weather climates and road vibrations.

FURRION LED TELEVISIONS

From the very beginning, Furrion audiovisual products have been design to enhance your RV experience. The LED TV is no exception, developed not only for durability, but with technology that delivers world-class performance and picture quality.



- > 12V TV with built-in DVD player
- > Vibrationsmart - designed and tested for vibration resistance
- > Climatesmart - designed and tested for extreme climates
- > Furrion→ smart link communication
- > Added LED strips for extra brightness and picture quality
- > Front or side access buttons
- > 10-30 Volt surge protection
- > Custom Furrion upgraded speakers and amplifier
- > Static isolator reduces image noise and static caused by 12V power sources

900-20105 FURRION 24" HD LED TV DVD COMBO

Specifications

Resolution: 1366 x 768
Refresh Rate: 60Hz
Audio Output: 5W x 2
Dimensions without stand: 582 x 368.7 x 52mm
Dimensions with stand: 582 x 404 x 183mm
Vesa Compatible: 100 x 100

FURRION 5" SPEAKERS

Our 5" outdoor speaker is made from tough, top-quality materials for high definition audio with a pure, distinct sound outdoors.

Specifications

Max Power: 30W
Impedance: 4Ω
Sensitivity: 88db
Frequency Range: 120Hz~20KHz

900-20200 FURRION 5" BLACK OUTDOOR SPEAKER

Sold Singularity



900-20202 FURRION 5" WHITE OUTDOOR SPEAKER

Sold Singularity





FURRIION 5" 2-WAY SPEAKERS

Designed for harsh outdoor environments with IP55 waterproof technology. Furrion's two-way dome tweeter and thermoplastic polymer cone boast a light, strong design that deliver crystal clear sound.

Specifications
 Impedance: 4 @1kHz 1V
 Frequency: 120±20% Hz
 Output Sound Pressure Level: 82 dB
 Characteristic Sensitivity: ±3 dB
 Effective Frequency Band: Fo~20kHz
 Harmonic Distortion: 5% less than 1W 85~20kHz
 Polarity: Left "+", Right "-"
 Temperature Range: -20 °C to 70 °C /-4 °F to 148 °F
 Rated Power: 25W
 Max Power: 30W
 4"/102mm speaker driver: 30W black PP cone paper woofer
 1"/38mm speaker driver: 5W hard dome tweeter speaker with black PET cone
 Capacitor: 4.7uF non-polar capacitor
 Ingress Protection: IP55

900-20204
FURRIION BLACK 5" 2-WAY IP55 OUTDOOR MARINE SPEAKER WITH LED + LED RING (AM)
FMS5L2A-BL
 Sold Singularly



900-20206
FURRIION WHITE 5" 2-WAY IP55 OUTDOOR MARINE SPEAKER WITH LED + LED RING (AM)
FMS5L2A-PS
 Sold Singularly



FURRIION 5" SPEAKER ACCESSORIES

Furrion offer black and white mounting options with their full range of 5" outdoor speakers. Additional LED Rings are now available!

Compatible with 900-20200, 900-20202, 900-20204 and 900-20206.

900-20397
FURRIION LED RING FOR 5" OUTDOOR MARINE SPEAKER (AM)



900-20398
FURRIION WHITE SURFACE MOUNT FOR 5" SPEAKER



900-20399
FURRIION BLACK SURFACE MOUNT FOR 5" SPEAKER



FURRIION INDOOR SPEAKERS

Our 6.5" ceiling speaker is made from top-quality materials—for high definition audio with a pure, distinct sound that's perfect indoors.

Specifications
 Max Power: 30W
 Impedance: 4Ω
 Sensitivity: 86db
 Frequency Range: 60Hz~20KHz

900-20208
FURRIION 6.5" BLACK CEILING SPEAKER
 Sold Singularly




900-20210
FURRIION 6.5" WHITE CEILING SPEAKER
 Sold Singularly



900-20212 FURRION RECESSED WALL SPEAKER SET OF 2

Fiberglass reinforced cone extends frequency response and minimizes distortion. This controls rigidity and internal damping



Specifications

Voice coil electro impedance: 4 @1K Hz 1V
Resonance Frequency: 80±20% Hz
Output sound pressure level: 88 dB
Characteristic sensitivity: ±3 dB
Effective frequency band: Fo~20K Hz
Harmonic distortion: 5% less than 1W 85-10K Hz or more than
Power usage: Left "+", Right "-"
Outputs on product: 25W

900-20400 FURRION DV3300 HEAD UNIT WITH NFC AND BLUETOOTH CONNECTIVITY

Integrating residential design with recreational vehicle functionality, the new DV3300 entertainment system offers next generation multi-zone audiovisual technology. Experience high quality audio streaming throughout your specialty vehicle entertainment system with Bluetooth wireless connectivity and seamless integration with Apple® iPod® or iPhone® and other Bluetooth devices.



Multimedia on the move

The new DV3300 combines the quality of a home entertainment system with RV functionality, plus next generation two-zone technology, DVD, USB and a front auxiliary input for most audio devices:

- > 2-zone independent control
- > DVD playback
- > Works with Furrion unimote
- > Vibrationsmart™ - designed for vibration resistance
- > Climatesmart™ - tested for extreme climates
- > Signalsmart - anti-interference static filters

Specifications

Dual zone audio output 4 x 40W
CD/DVD
MP/WMA/MP4
AM & FM
30 preset stations
USB
AUX-IN/AUX-IN video support
Bluetooth
Near Field communication
Remote control

900-20402 FURRION DV5700 HEAD UNIT WITH BLUETOOTH CONNECTIVITY

With a modern and sleek design, the DV5700 delivers superior performance with the capability to bring you intuitive entertainment. Easily connect most devices through the frontal auxiliary input to stream high quality audio, or experience USB and DVD entertainment optimized for your RV.



Multimedia on the move

The new DV5700 is modern, sleek and primed for superior performance in your RV - with DVD, USB and a front auxiliary input for most audio devices:

- > Bluetooth connectivity
- > DVD playback
- > Subwoofer output
- > Vibrationsmart™ - designed for vibration resistance
- > Climatesmart™ - tested for extreme climates
- > Signalsmart - anti-interference static filters

Specifications

4x45 Watts
1 DIN stereo unit
CD/DVD/WMA/MP3/AVI
AM & FM
30 preset stations
Detachable front panel
Rotary volume control
White key illumination
LCD display
Remote control
Bluetooth

900-20600 FURRION F-TYPE TV INLET/OUTLET BLACK

- > Snap-in F-type connector
- > Coax connectors ideal for satellite and cable feed
- > Durable UV stabilized polyester material
- > Nickel plated brass connector for improved signal transmission and corrosion resistance
- > Satellite compatible
- > Easy installation
- > Wall mount with screws
- > Weatherproof sealing
- > Designed for outdoor applications





FURRION PORTABLE BLUETOOTH SPEAKER



The all new FURRION LIT was created for mobile and adventurous living, the portable Bluetooth® speaker is compact, big on sound and features a rugged design so you can take it anywhere.

Designed for mobile and adventurous living, the Furrion LIT portable Bluetooth speaker is compact in size and big on sound. Its unique rugged design is waterproof, shockproof, sand proof, comes with a built-in flashlight and has up to 15 hours of play time. LIT can be mounted in an RV so you can take the party anywhere. The mount is simple to install, acts as a charging station and secures the speakers when you're on the road.

Features

- > Playtime Up to 15 hours
- > Torch Light
- > Waterproof IPX7
- > Bluetooth
- > NFC
- > Speaker Phone
- > Micro USB Inputs
- > USB Charging Out

Specifications

Rated Power 10W x2 RMS
 Battery 1800mAh x2
 Signal To Noise Ratio ≥80dB
 SOS Light Effect Yes

900-20700

FURRION PORTABLE BLUETOOTH SPEAKER - BLACK



900-20702

FURRION PORTABLE BLUETOOTH SPEAKER - WHITE



900-20750

FURRION WIRELESS CHARGING DOCK FOR PORTABLE BLUETOOTH SPEAKER

